


IPG-8901583-8901589



Technical requirement :

1. Annealing and compression
2. weld joint to be uniform
3. No scratches or other defects on the surface of the hose
4. Wave uniformity
5. Working pressure 3Bar
6. Working temperature: Max 110°C

5	TZX-401-20-1	Gaskets	2	EPDM		φ24.3xφ16x2.7
4	TZX-201-20-1	Male	1	ASTM304		
3	TZX-001-260-1	Metal hose	1	ASTM316L		φ26x0.2
2	TZX-308-20-1	Joint	1	ASTM304		
1	TZX-101-20-1	NUT	1	ASTM304		
No.	Code	Name	QTY.	Material	Remarks	
designed					weight	scale
checked						1:1
						3/4" MF
				approved		IPG-8901583-8901589
						Sheet

CODE	8901583	8901584	8901585	8901586	8901587	8901588	8901589
------	---------	---------	---------	---------	---------	---------	---------

L	75/130	110/210	200/410	260/520	500/1000	750/1500	1000/2000
---	--------	---------	---------	---------	----------	----------	-----------