

according to Regulation (EC) No 1907/2006

SANIT Cleaner for Fireplace Glass

Revision date: 06.03.2018

Product code: 45060

Page 1 of 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SANIT Cleaner for Fireplace Glass

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Company name:	SANIT-Chemie	
	Reinigungsmittel und -geräte GmbH	
Street:	Dieselstr. 38	
Place:	D-74211 Leingarten	
Telephone:	+49 7131 902100	Telefax: +49 7131 404360
e-mail:	info@sanit-chemie.de	
Contact person:	Produktmanagement	Telephone:07131 90210-20
Internet:	www.sanit-chemie.de	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories: Skin corrosion/irritation: Skin Irrit. 2 Serious eye damage/eye irritation: Eye Irrit. 2 Hazard Statements: Causes skin irritation. Causes serious eye irritation.

2.2. Label elements

Regulation (EC) No. 1272/2008

Signal word:

Pictograms:



Warning

Hazard statements

H315	Causes skin irritation.
H319	Causes serious eye irritation.

Precautionary statements

P280	Wear protective gloves and eye/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if
	present and easy to do. Continue rinsing.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P362+P364	Take off contaminated clothing and wash it before reuse.

Additional advice on labelling

The classification was undertaken in accordance with the calculation method governed by the Preparations Directive (1999/45/EC).



SANIT-Chemie

according to Regulation (EC) No 1907/2006

SANIT Cleaner for Fireplace Glass

Revision date: 06.03.2018

Product code: 45060

Page 2 of 8

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name				
	EC No	Index No	REACH No		
	GHS Classification	•			
68515-73-1	Decyl-octyl glycosides oligomer			1 - < 5 %	
	500-220-1		01-2119488530-36		
	Skin Irrit. 2, Eye Dam. 1; H315 H				
120313-48-6	Nichtionische Tenside	1 - < 5 %			
	Skin Irrit. 2, Aquatic Acute 1, Aqu				
1310-73-2	sodium hydroxide; caustic soda	<2%			
	215-185-5	011-002-00-6			
	Skin Corr. 1A; H314	-			
112-34-5	2-(2-butoxyethoxy)ethanol; dieth	1 - < 5 %			
	203-961-6	603-096-00-8			
	Eye Irrit. 2; H319				

Full text of H and EUH statements: see section 16.

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated, saturated clothing immediately.

After inhalation

Provide fresh air. Move victim to fresh air. Put victim at rest and keep warm.

After contact with skin

After contact with skin, wash immediately with polyethylene glycol, followed by plenty of water. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Remove contact lenses, if present and easy to do. Continue rinsing.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Induce vomiting when the affected person is not unconscious.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed



according to Regulation (EC) No 1907/2006

SANIT Cleaner for Fireplace Glass

Revision date: 06.03.2018

Product code: 45060

Page 3 of 8

Treat symptomatically. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water. Foam. Extinguishing powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

High power water jet.

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon dioxide (CO2). Sulfur oxides.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment. Keep away from unprotected people. Keep upwind. High slip hazard because of leaking or spilled product.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

Treat the recovered material as prescribed in the section on waste disposal.

6.3. Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7 Personal protection equipment: see section 8 Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Keep container tightly closed in a cool, well-ventilated place.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed. Keep locked up. Store in a place accessible by authorized persons only. Provide adequate ventilation as well as local exhaustion at critical locations.

Hints on joint storage

Keep away from food, drink and animal feedingstuffs.



according to Regulation (EC) No 1907/2006

SANIT Cleaner for Fireplace Glass

Revision date: 06.03.2018

Product code: 45060

Page 4 of 8

7.3. Specific end use(s)

Washing and cleaning products (including solvent based products)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
112-34-5	2-(2-Butoxyethoxy)ethanol	10	67.5		TWA (8 h)	WEL
		15	101.2		STEL (15 min)	WEL
1310-73-2	Sodium hydroxide	-	2		STEL (15 min)	WEL

DNEL/DMEL values

CAS No	Substance	-		
DNEL type		Exposure route	Effect	Value
1310-73-2	sodium hydroxide; caustic soda			
Consumer DNE	EL, long-term	inhalation	local	1 mg/m³
Worker DNEL, acute		dermal	local	< 2 %
Worker DNEL, long-term		inhalation	local	1 mg/m³

8.2. Exposure controls





Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. Tested protective gloves are to be worn: NBR (Nitrile rubber). Breakthrough times and swelling properties of the material must be taken into consideration. Thickness of glove material: 0,65mm; penetration time (maximum wearing period): 8h

Skin protection

Wear suitable protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.



according to Regulation (EC) No 1907/2006

SANIT Cleaner for Fireplace Glass

Revision date: 06.03.2018

Product code: 45060

Page 5 of 8

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and ch	emical properties		
Physical state:	liquid		
Colour:	light yellow		
pH-Value:		13,3	
Changes in the physical state			
Melting point:		not determined	
Initial boiling point and boiling range:		100 °C	
Flash point:		not applicable	
Flammability			
Solid:		not applicable	
Gas:		not applicable	
Lower explosion limits:		not determined	
Upper explosion limits:		not determined	
Auto-ignition temperature			
Solid:		not applicable	
Gas:		not applicable	
Decomposition temperature:		not determined	
Oxidizing properties Not oxidising.			
Vapour pressure:		not determined	
Vapour pressure:		not determined	
Density:		1,04 g/cm³	
Water solubility:		completely miscible	
Solubility in other solvents not determined			
Partition coefficient:		not determined	
Viscosity / dynamic:		not determined	
Vapour density:		not determined	
Evaporation rate:		not determined	
9.2. Other information			
Solid content:		not determined	

SECTION 10: Stability and reactivity

10.1. Reactivity

Possibility of hazardous reactions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

Exothermic reaction with: Acid, Peroxides, Oxidising agent.

10.4. Conditions to avoid

none



according to Regulation (EC) No 1907/2006

SANIT Cleaner for Fireplace Glass

Revision date: 06.03.2018

Product code: 45060

Page 6 of 8

10.5. Incompatible materials

Keep away from: Acid, Oxidising agent, Peroxides. Oxidizing agents, strong.

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

CAS No	Chemical name					
	Exposure route	Dose	Species	Source	Method	
68515-73-1	Decyl-octyl glycosides olig	gomer		•		
	oral	LD50 > 2000 mg/kg	Rat			
	dermal	LD50 > 2000 mg/kg	Rat			
112-34-5	2-(2-butoxyethoxy)ethano	l; diethylene glycol mon	obutyl ether			
	oral	LD50 5660 mg/kg	Rat			
	dermal	LD50 4120 mg/kg	Rabbit			

Sensitising effects

no danger of sensitization.

Additional information on tests

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP].

Further information

Has degreasing effect on the skin.

SECTION 12: Ecological information

12.1. Toxicity

The product is not: Ecotoxic.

CAS No	Chemical name						
	Aquatic toxicity	Dose		[h] [d]	Species	Source	Method
68515-73-1	Decyl-octyl glycosides oligomer						
	Acute fish toxicity	LC50 mg/l	1 - 10	96 h			
	Fish toxicity	NOEC	> 1 mg/l	21 d	Brachydanio rerio (zebra-fish)		
	Crustacea toxicity	NOEC	>1 mg/l	21 d	Daphnia magna		
112-34-5	2-(2-butoxyethoxy)ethano	l; diethylen	e glycol mono	butyl eth	ner	_	_
	Acute algae toxicity	ErC50 mg/l	> 100		Scenedesmus sp.		
	Acute crustacea toxicity	EC50 mg/l	> 100	48 h	Daphnia magna		

12.2. Persistence and degradability

Biologically degradable according to the Washing- and Cleaning Agents Act (WRMG German Law).



according to Regulation (EC) No 1907/2006

SANIT Cleaner for Fireplace Glass

Revision date: 06.03.2018

Product code: 45060

Page 7 of 8

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
112-34-5	2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether	0,56 (25°C)

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

070601

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Waste disposal number of waste from residues/unused products

WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors; hazardous waste

Waste disposal number of contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); plastic packaging

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.2. UN proper shipping name: No dangerous good in sense of these transport regulations.

14.6. Special precautions for user

No information available.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 55: 2-(2-butoxyethoxy)ethanol; diethylene glycol monobutyl ether

Additional information

To follow: 850/2004/EC , 79/117/EEC , 689/2008/EC

National regulatory information



SANIT Cleaner for Fireplace Glass							
Revision date: 06.03.2018	Product code: 45060	Page 8 of 8					
Employment restrictions:	Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).						
Water contaminating class (D):	1 - slightly water contaminating						
15.2. Chemical safety assessment	15.2. Chemical safety assessment						
Chemical safety assessments for	substances in this mixture were not carried out.						
SECTION 16: Other information							
Changes							

This data sheet contains changes from the previous version in section(s): 1,2.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonized System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service LC50: Lethal concentration, 50% LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Further Information

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)