



Product Service

# Attestation of Conformity

No. N8A 054757 0014 Rev. 09

**Holder of Certificate:** **Cixi City Rixing Electronics Co., Ltd.**

Jietang Industrial Park, Zhouxiang  
315325 Cixi, Zhejiang  
PEOPLE'S REPUBLIC OF CHINA

**Product:**

**Crystalline Silicon Terrestrial Photovoltaic (PV) Modules**  
**Mono-Crystalline Silicon Photovoltaic Module**

This Attestation of Conformity is issued on a voluntary basis according to the Low Voltage Directive 2014/35/EU relating to electrical equipment designed for use within certain voltage limits. It confirms that the listed equipment complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for testing and certification. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 704061821009-10

**Date,** 2022-09-05

( Zhulin Zhang )

Page 1 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.



# Attestation of Conformity

No. N8A 054757 0014 Rev. 09

## Model(s):

QJMxxx, xxx=95 to 405 in step of 5,  
 QJMxxx, xxx=75 to 85 in step of 5,  
 QJMxxx, xxx=40 to 65 in step of 5,  
 QJMxxx, xxx=30,  
 QJMxxx, xxx=20,  
 QJMxxx, xxx=10,  
 QJMxxx-144H, xxx=370 to 405 in step of 5,  
 QJMxxx-120H, xxx=310 to 340 in step of 5,  
 QJMxxx-144H(9BB), xxx=425 to 460 in step of 5,  
 QJMxxx-120H(9BB), xxx=355 to 385 in step of 5,  
 QJMxxx-132H(9BB), xxx=415 to 420 in step of 5,  
 QJMxxx-144H(9BB), xxx=380 to 420 in step of 5,  
 QJMxxx-120H(9BB), xxx=315 to 350 in step of 5,  
 QJMxxx(6BB), xxx=410 to 430 in step of 5,  
 QJMxxx(6BB), xxx=340 to 360 in step of 5,  
 QJMxxx(6BB), xxx=375 to 395 in step of 5,  
 QJMxxx-66(6BB), xxx=350 to 370 in step of 5,  
 QJMxxx-72, xxx=350 to 375 in step of 5,  
 QJMxxx-60, xxx=290 to 315 in step of 5,  
 QJMxxx-M6(9BB), xxx=415 to 435 in step of 5,  
 QJMxxx-M6(9BB), xxx=345 to 365 in step of 5,  
 QJMxxx-M6(9BB), xxx=380 to 400 in step of 5,  
 QJMxxx-66M6(9BB), xxx=350 to 375 in step of 5,  
 QJMxxx-M5(9BB), xxx=390 to 415 in step of 5,  
 QJMxxx-M5(9BB), xxx=325 to 350 in step of 5,  
 QJMxxx-M3(9BB), xxx=375 to 400 in step of 5,  
 QJMxxx-M3(9BB), xxx=310 to 335 in step of 5,  
 QJMxxx-144H(10BBM10), xxx=520 to 550 in step of 5,  
 QJMxxx-132H(10BBM10), xxx=475 to 505 in step of 5,  
 QJMxxx-120H(10BBM10), xxx=430 to 460 in step of 5,  
 QJMxxx-108H(10BBM10), xxx=385 to 415 in step of 5,  
 QJMxxx-144H(9BBM10), xxx=520 to 550 in step of 5,  
 QJMxxx-132H(9BBM10), xxx=475 to 505 in step of 5,  
 QJMxxx-120H(9BBM10), xxx=430 to 460 in step of 5,  
 QJMxxx-108H(9BBM10), xxx=385 to 415 in step of 5,  
 xxx is standing for rated output power at STC

## Parameters:

Construction:	Framed, with Junction box, Cable and Connectors.
Safety Class:	Class II
Maximum System Voltage:	1500 V DC
Fire Safety Class:	Class C according to UL790
Test Laboratory:	Yangzhou Opto-Electrical Products Testing Institute, No. 10 West Kaifa Road, Yangzhou, 225009 Jianguo, P. R. China.



Product Service

# Attestation of Conformity

No. N8A 054757 0014 Rev. 09

**Tested  
according to:**

EN IEC 61730-1:2018  
EN IEC 61730-1:2018/AC:2018-06  
EN IEC 61730-2:2018  
EN IEC 61730-2:2018/AC:2018-06

Page 3 of 3

After preparation of the necessary technical documentation as well as the EU declaration of conformity the required CE marking can be affixed on the product. The declaration of conformity is issued under the sole responsibility of the manufacturer. Other relevant EU-directives have to be observed.