


04/2024

ACCIAIO INOX AISI 316L

STAINLESS STEEL AISI 316L

EDELSTAHL 316L




Curva 75° - Raggio 1,5

Bend 75° - Radius 1,5

Bogen 75° - Radius 1,5

Code	d	L	Z	€ price per MOQ			
				200			
S24AG-LBP	35	77	50	55,11			
S24AH-LBP	42	97.5	65.5	80,25			




Adattatore 75° fil. maschio

Bend adaptor 75° with male thread

Übergangsbogen 75° A.G.

Code	d	L	L1	Z	€ price per MOQ			
					200			
S88SG-LBP	35-R1¼	88	78	61	98,39			
S88SH-LBP	42-R1¼	105	113	73	103,14			




Manicotto misto fil. femmina

Adaptor with female thread

Übergangsmuffe I.G.

Code	d	L	Z	€ price per MOQ			
				20	50	100	200
S80VK	76,1-R2	145	84	279,50	232,96	202,50	192,46




Manicotto misto fil. maschio

Adaptor with male thread

Übergangsmuffe A.G.

Code	d - R	L	Z	€ price per MOQ			
				20	50	100	200
S81VK	76,1-R2	142	87	266,33	221,94	193,00	183,28




Adattatore 90° - fil. femmina

Bend adaptor 90° with female thread

Übergangsbogen 90° I.G.

Code	d - Rp	L	L1	Z	€ price per MOQ		
					50	100	200
S82QC-LBP	15-Rp¾	48	86	27	25,49	22,25	18,47
S82QD-LBP	18-Rp¾	53	65	32	25,16	21,82	19,01
S82RE-LBP	22-Rp1	61	100	38	29,59	25,81	22,36
S82SF-LBP	28-Rp1¼	73	115	49	39,64	34,45	29,92



Adattatore 90° - fil. maschio

Bend adaptor 90° with male thread

Übergangsbogen 90° A.G.


Code	d - R	L	L1	Z	€ price per MOQ		
					50	100	200
S83NC-LBP	15-R¾	48	58	27	26,03	22,68	18,90
S83PE-LBP	22-R½	60	95	37	34,13	29,70	24,73

04/2024

ACCIAIO INOX AISI 316L

STAINLESS STEEL AISI 316L

EDELSTAHL 316L




Gomito Misto - fil. femmina

Elbow adaptor 90° with female thread

Übergangswinkel 90° I.G.

Code	d - R	L	L1	Z		€ price per MOQ		
						50	100	200
S30RE-LBP	22-Rp1	75	54	52	35	35,64	31,00	29,38




Adattatore Tee - fil. femmina

T-piece with female thread

T-Stück mit I.G. Abgang

Code	d	L	L1	Z	Z1	I	€ price per MOQ			
							20	50	100	200
S42NC-LBP	15-Rp $\frac{3}{8}$ -15	74	40	16	28	37	31,32	27,22	23,65	19,76
S42PK	76,1-Rp $\frac{1}{2}$ -76,1	232	69	61	55	116	224,21	194,94	169,56	




Adattatore Tee - fil. maschio

T-piece with male thread

T-Stück mit A.G. Abgang

Code	d - R - d	L	L1	Z	I	€ price per MOQ			
						20	50	100	200
S43QF-LBP	28-R $\frac{3}{4}$ -28	92	47	22	46		30,67	26,68	22,25
S43QG-LBP	35-R $\frac{3}{4}$ -35	102	50	24	51		32,62	28,40	23,65
S43QH-LBP	42-R $\frac{3}{4}$ -42	118	53	27	59		37,15	32,29	27,00
S43QJ-LBP	54-R $\frac{3}{4}$ -54	142	60	34	71		78,19	68,04	56,70
S43RJ-LBP	54-R1-54	142	63	34	71		78,62	68,36	56,92
S43SJ-LBP	54-R1 $\frac{1}{4}$ -54	142	66	34	71		79,38	69,01	57,56
S43XM	108-R2 $\frac{1}{2}$ -108	312	100	79	156		325,94	283,50	246,46



Tee allargato

T-piece enlarged

T-Stück mit vegr. Abgang


Code	d-d1-d	L	L1	Z	Z1	I	€ price per MOQ		
							50	100	200
S44DC-LBP	15-18-15	74	49	16	28	35	22,36	19,47	16,16
S44EC-LBP	15-22-15	74	44	16	21	35	24,40	21,19	17,66
S44ED-LBP	18-22-18	80	53	19	30	40	27,71	24,18	20,12
S44FE-LBP	22-28-22	82	59	18	35	41	29,53	25,68	21,40

04/2024

ACCIAIO INOX AISI 316L

STAINLESS STEEL AISI 316L

EDELSTAHL 316L




Tee con girella

T-piece with a swivel nut in brass

T-Stück mit Loser Mutter

Code	d - G	L	L1	Z	Z1	I	€ price per MOQ		
							100	200	
S46QC-LBP	15-G $\frac{3}{4}$	74	56	16	47	37	32,42	27,07	
S46QD-LBP	18-G $\frac{3}{4}$	80	58	19	49	40	32,96	27,39	
S46RE-LBP	22-G1	82	72	18	63	41	44,08	36,81	
S46SF-LBP	28-G1 $\frac{1}{4}$	92	80	22	70	46	51,47	42,91	




Croce

Cross

Kreuzstück

Code	d	L	L1	I	I1	€ price per MOQ		
						100	200	
S47AF-LBP	28	92	94	46	47	38,90	34,80	
S47AG-LBP	35	102	108	51	54	50,60	44,90	
S47AH-LBP	42	118	122	59	61	63,80	57,60	
S47AJ-LBP	54	142	148	71	74	74,50	67,50	
S47EJ-LBP	54-22-22-54					82,60	74,50	
S47FJ-LBP	54-28-28-54					82,60	74,50	




Tee ridotto

T-piece reduced

T-Stück Reduziert

Code	d1-d2-d1	L	L1	I	I1	€ price per MOQ		
						100	200	
S49DC-LBP	18-15-15	88	37	40	48	33,92	28,25	
S49CE-LBP	22-22-15	88	40	41	47	34,24	28,46	
S49EC-LBP	22-15-15	88	38	41	47	32,85	27,39	
S49ED-LBP	22-18-18	87	38	41	46	33,92	28,25	
S49FE-LBP	28-22-22	101	44	60	41	37,99	31,57	



Tee con filetto femmina Rp $\frac{1}{2}$

T-piece with plain ends and a female thread Rp $\frac{1}{2}$

Einsteck-T-Stück mit IG Rp $\frac{1}{2}$


Code	d-Rp	L	L1	Z1	I	€ price per MOQ			
						20	50	100	200
S78PF	28-Rp $\frac{1}{2}$	120	43	31	60	32,62	27,22	22,68	
S78PG	35-Rp $\frac{1}{2}$	120	46	34	60	38,88	32,40	27,00	
S78PH	42-Rp $\frac{1}{2}$	120	49	37	60	43,63	36,40	30,35	
S78PJ	54-Rp $\frac{1}{2}$	120	56	44	60	63,50	52,92	44,06	
S78PK	76,1-Rp $\frac{1}{2}$	200	79	61	100	256,50	213,73	178,09	
S78PL	88,9-Rp $\frac{1}{2}$	220	81	63	110	279,61	233,06	194,18	
S78PM	108-Rp $\frac{1}{2}$	250	91	73	125	335,02	279,18	232,63	

04/2024

ACCIAIO INOX AISI 316L

STAINLESS STEEL AISI 316L

EDELSTAHL 316L




Tee con filetto maschio R $\frac{1}{2}$

T-piece with plain ends and a male thread R $\frac{1}{2}$

Einsteck-T-Stück AG R $\frac{1}{2}$

Code	d	L	L1	I	€ price per MOQ		
					50	100	200
S79PF	28-R $\frac{1}{2}$	120	43	60	31,21	26,03	21,71
S79PG	35-R $\frac{1}{2}$	120	46	60	36,29	30,24	25,16
S79PH	42-R $\frac{1}{2}$	120	49	60	41,04	34,24	28,51
S79PJ	54-R $\frac{1}{2}$	120	56	60	62,96	52,49	43,74




Codolo flangiato PN 16

Flange with plain end PN 16

Flansch PN 16 mit Einsteckende

Code	d	D	di	L	H	m	k	€ price per MOQ			
								20	50	100	200
S56AC	15	95	14	140	11	14	65	55,55	46,31	38,61	
S56AD	18	95	17	140	11	14	65	57,42	47,85	39,82	
S56AE	22	105	21	140	12	14	75	77,11	64,24	53,57	
S56AF	28	115	27	140	14	14	85	91,52	76,23	63,58	
S56AG	35	140	32	160	15	18	100	139,48	116,16	96,80	
S56AH	42	150	39	160	16	18	110	162,69	135,63	112,97	
S56AJ	54	165	51	160	18	18	125	205,70	171,38	142,78	
S56AK	76,1	185	72	110	18	18	145	273,35	227,81	189,86	
S56AL	88,9	200	85	143	20	18	160	330,55	275,44	229,57	
S56AM	108	220	104	168	20	18	180	392,81	327,36	272,80	



Bocchello per flangia libera PN 16

Collar for loose flange PN 16

Anschlussstutzen für Lose-Flansch PN 16


Code	d	L	D	k	€ price per MOQ			
					20	50	100	200
S94AF	28	90	68	3		77,44	64,48	53,78
S94AG	35	82	78	3		113,51	94,61	78,84
S94AH	42	91	88	3		127,98	106,60	88,88
S94AJ	54	97	102	3		152,82	127,33	106,16
S94AK	76,1	130	122	3	219,02	182,52	152,06	
S94AL	88,9	150	138	3	267,84	223,13	185,98	
S94AM	108	177	158	4	319,14	265,90	221,62	

04/2024

ACCIAIO INOX AISI 316L

STAINLESS STEEL AISI 316L

EDELSTAHL 316L




Tappo maschio di chiusura con filetto femmina

Plug with female thread

Verschlussstopfen IG

Code	d	L	Z	Z1	€ price per MOQ		
					50	100	200
S01PF	28-Rp½	58	45	0	26,35	23,87	22,36
S01PG	35-Rp½	63	50	1.7	30,35	27,65	25,81
S01PH	42-Rp½	69	56	5.2	46,33	42,12	39,31
S01PJ	54-Rp½	76	63	11.2	49,79	45,25	42,34



Tubo con filetto Rp½

Pipe with thread Rp½

Rohrstück mit Gewindeabgang Rp½


Code	d-Rp	L	L1	H	€ price per MOQ		
					50	100	200
S97AF	28-Rp½	125	108	79	76,27	66,32	
S97AG	35-Rp½	125	108	87	72,24	62,82	
S97AH	42-Rp½	125	108	91	84,39	73,38	
S97AJ	54-Rp½	125	108	99	101,49	88,25	
S97AK	76,1-Rp½	250	232.5	114	205,38	178,59	
S97AL	88,9-Rp½	250	232.5	120	231,59	201,38	
S97AM	108-Rp½	250	232.5	130	246,14	214,03	

04/2024

ACCIAIO AL CARBONIO

CARBON STEEL

C-STAHl




Manicotto di riduzione FF

Reducer FF

Muffe reduziert

Codice	d2 - d1	L	H	€ price per MOQ	
				100	200
C19DC-LBP	18-15	63	23	8,94	7,38
C19EC-LBP	22-15	76	35	9,36	7,80
C19ED-LBP	22-18	67	26	9,46	7,90
C19FC-LBP	28-15	81	38	10,61	8,84
C19FD-LBP	28-18	84	41	10,71	8,94
C19FE-LBP	28-22	75	31	10,92	9,05
C19GF-LBP	35-28	86	42	14,98	12,48
C19HG-LBP	42-35			19,97	16,64
C19JH-LBP	54-42			24,96	20,80




Manicotto Misto fil. femmina

Adaptor with female thread

Übergangsmuffe I.G.

Codice	d - Rp	L	Z	€ price per MOQ			
				20	50	100	200
C80QG-LBP	35-Rp $\frac{1}{4}$	70	24	19,24	17,47	15,81	
C80TJ-LBP	54-Rp $1\frac{1}{2}$	98	42	32,14	29,22	25,38	
C80VK	76,1-Rp2	145	61	182,83	152,36	126,98	




Manicotto misto fil. maschio

Adaptor with male thread

Übergangsmuffe A.G.

Codice	d - R	L	H	€ price per MOQ			
				50	100	200	400
C81SF-LBP	28-R $1\frac{1}{4}$	51	27	19,66	17,06	15,50	13,94
C81SH-LBP	42-R $1\frac{1}{4}$	76	35	37,23	32,34	29,33	26,42
C81TJ-LBP	54-R $1\frac{1}{2}$	97	60	50,75	44,10	39,94	35,98
C81VK	76,1-R2	81	38	138,74	115,54		



Adattatore 90° fil. femmina

Bend adaptor 90° with female thread

Übergangsbogen 90° I.G.

Codice	d - Rp	L	L1	Z	€ price per MOQ		
					50	100	200
C82PE-LBP	22-Rp $\frac{1}{2}$	49	73	26	25,90	23,50	
C82QF-LBP	28-Rp $\frac{1}{4}$	59	64	35	26,52	24,02	
C82RF-LBP	28-Rp1	59	82	35	32,45	29,33	
C82SG-LBP	35-Rp $1\frac{1}{4}$	72	112	45	39,52	34,42	31,20
C82TH-LBP	42-Rp $1\frac{1}{2}$	91	118	59	51,17	44,51	40,25
C82VJ-LBP	54-Rp2	110	144	73	59,80	52,00	47,11

04/2024

ACCIAIO AL CARBONIO

CARBON STEEL

C-STAHL

Adattatore 90° fil. maschio

Bend adaptor 90° with male thread

Übergangsbogen 90° A.G.

Codice	d - R	L	H	Z	€ price per MOQ		
					50	100	200
C83PE-LBP	22-R $\frac{1}{2}$	49	76	26	31,51	27,46	24,86
C83QF-LBP	28-R $\frac{3}{4}$	59	76	26	31,10	27,04	23,50

Adattatore Tee fil. maschio

T-piece with male thread

T-Stück mit A.G. Abgang

Codice	d - R - d	L	L1	Z	Z1	I	€ price per MOQ			
							20	50	100	200
C43PD-LBP	18-R $\frac{1}{2}$ -18	80	39	20	24	40	12,27	10,71	9,67	
C43PE-LBP	22-R $\frac{1}{2}$ -22	82	43	18	30	41	13,10	11,44	10,30	
C43PF-LBP	28-R $\frac{1}{2}$ -28	92	44	22	32	46	15,18	13,21	11,96	
C43PG-LBP	35-R $\frac{1}{2}$ -35	102	48	24	35	51	20,18	17,58	15,91	
C43PH-LBP	42-R $\frac{1}{2}$ -42	118	46	27	34	59	30,58	26,62	24,13	
C43PJ-LBP	54-R $\frac{1}{2}$ -54	142	59	34	46	74	35,78	31,10	28,18	
C43PK	76-R $\frac{1}{2}$ -76	232	69	61	56	116	119,81	104,21	86,84	

Adattatore Tee fil. femmina

T-piece with female thread

T-Stück mit I.G. Abgang

Codice	d - R - d	L	L1	Z	Z1	I	€ price per MOQ			
							20	50	100	200
C42RF-LBP	28-Rp1"-28	92	52	22	36	46	24,65	21,42	19,34	
C42RG-LBP	35-Rp1"-35	102	58	24	40	51	25,38	22,05	19,97	
C42RH-LBP	42-Rp1"-42	118	50	27	38	59	32,24	27,98	25,38	
C42RJ-LBP	54-Rp1"-54	142	62	34	50	74	36,40	31,62	28,70	
C42VJ-LBP	54-Rp2"-54	142	71	34	57	74	42,12	36,61	33,18	
C42VK	76,1-Rp2"-76,1	232	82	61	67	116	134,06	111,70	93,08	
C42VL	88,9-Rp2"-88,9	262	89	68	74	131	157,25	131,04	109,20	

Tee ridotto

T-piece reduced

Red. T-Stück

Codice	d - R - d	L	L1	Z	Z1	I	€ price per MOQ			
							20	50	100	200
C41CK	76,1-15-76,1	232	65	61	67	116	152,67	127,19	105,98	95,37

Adattatore tee con attacco groove fittings

T-piece with transition part for grooved fittings

T-Stück für genutete fitting


Codice	d - d1 - d	L	L1	Z	Z1	I	€ price per MOQ	
							100	250
C47OGS1M	108-60.3-108	312	137	77	112	156	145,91	120,95
C47OGS2M	108-88.9-108	321	137	77	112	156	152,78	127,30

04/2024

ACCIAIO AL CARBONIO

CARBON STEEL

C-STAHL




Scavalco doppio lungo

Long double crossing

Lange Überbogen

Codice	d - d1	€ price per MOQ	
		100	200
C92BB-LBP	12-12	86,01	74,78
C92BC-LBP	15-12	88,09	76,65
C92CC-LBP	15-15	88,30	76,75
C92CE-LBP	22-15	93,91	81,74




Codolo flangiato PN16

Flange with plain end

Flansch PN 16 mit Einsteckende

Codice	d	D	di	L	H	m	k	€ price per MOQ			
								20	50	100	200
C56AE	22	105	21	140	12	14	75	44,22	36,85	33,44	
C56AF	28	115	27	140	14	14	85	50,60	42,13	38,17	
C56AG	35	140	32	160	15	18	100	65,34	54,45	49,39	
C56AH	42	150	39,0	160	16	18	110	73,92	61,60	55,77	
C56AJ	54	165	51	160	18	18	125	91,41	76,12	68,97	
C56AK	76,1	185	72	110	18	18	145	132,00	110,00	91,63	
C56AL	88,9	200	85	143	20	18	160	160,38	133,65	111,43	
C56AM	108	220	104	168	20	18	180	225,39	187,77	156,53	
C57AE	22	90	21	61	14	11	65	42,13	35,09	29,26	
C57AF	28	100	27	65	14	11	75	47,63	39,71	33,11	
C57AG	35	120	32	70	16	14	90	61,38	51,15	42,68	
C57AH	42	130	39	77	16	14	100	71,28	59,40	49,50	
C57AJ	54	140	54	96	16	14	110	85,91	71,50	59,62	
C57AK	76,1	160	72	130	14	14	130	126,06	105,05	87,56	
C57AL	88,9	190	85	137	16	18	150	154,99	129,14	107,58	
C57AM	108	210	104	162	16	18	170	211,86	176,55	147,18	



Doppio raccordo con dado in ottone e guarnizione piatta in EPDM

Double fitting with brass nut and EPDM flat gasket

Doppelanschluss-Verschraubung mit EPDM Flachdichtung und Messingmutter


Codice	d - R	L	H	€ price per MOQ	
				150	200
C66QC-LBP	G $\frac{3}{4}$ -15	99	57		30,90
C66QD-LBP	G $\frac{3}{4}$ -18	86	44		32,50
C66RE-LBP	G1-22	94	48		35,50
C66SF-LBP	G1 $\frac{1}{4}$ -28	100	52		41,60
C66TG-LBP	G1 $\frac{1}{2}$ -35	110	57	51,90	
C66UH-LBP	G1 $\frac{3}{4}$ -42	119	55	59,50	
C66WJ-LBP	G2 $\frac{3}{8}$ -54	128	54	89,70	

04/2024

ACCIAIO INOX 316L - profilo V

ST. STEEL 316L - V profile

EDELSTAHL 316L V-Profil





Manicotto di riduzione MF

Reducer with plain end

Reduktion

Codice	d - d1	L	H	€ price per MOQ			
				20	50	100	200
S12KHVI-LBP	76,1-42	159	127	73,83	68,16	65,27	62,49
S12KJVI-LBP	76,1-54	146	109	76,40	70,51	67,52	64,63
S12LJVI-LBP	88,9-54	161	124	82,39	76,08	72,87	69,76
S12MJVI-LBP	108-54	222	185	86,67	79,93	76,61	73,30




Tee ridotto M - V

T-piece reduced M-V profile

T-Stück M-Profil, Abgang V-Profil

Codice	d - d1 - d	L	L1	Z	Z1	I	€ price per MOQ			
							20	50	100	200
S41GKVM-LBP	76.1-35-76.1	232	76	61	49	116	216,35	199,66	191,32	183,08
S41HKVM-LBP	76.1-42-76.1	232	85	61	51	116	233,26	215,39	206,40	197,42
S41JKVM-LBP	76.1-54-76.1	232	88	61	51	116	248,13	229,09	219,56	209,93
S41GLVM-LBP	88.9-35-88.9	262	84	68	57	131	226,84	209,40	200,73	191,96
S41HLVM-LBP	88.9-42-88.9	262	93	68	61	131	243,85	225,13	215,71	206,40
S41JLVM-LBP	88.9-54-88.9	262	96	68	59	131	254,45	234,87	225,13	215,39
S41GMVM-LBP	108-35-108	312	93	79	66	156	243,85	225,13	215,71	206,40
S41HMVM-LBP	108-42-108	312	102	79	70	156	254,45	234,87	225,13	215,39
S41JMVM-LBP	108-54-108	312	105	79	68	156	275,74	254,55	243,96	233,37



Gomito misto flangia lunga

90° female elbow adaptor with long wall plate

Deckenwinkel 90° I.G. abgesetzt


Codice	d - d1	L	L1	Z	I	I1	€ price per MOQ			
							200			
S39PCVI-LBP	15-G½	47	75	26	45	13,5				26,32
S39PDVI-LBP	18-G½	46	75	25	45	13,5				26,59
S39PEVI-LBP	22-G½	53	79	30	45	13,5				34,88
S39QEVI-LBP	22-G¾	53	79	30	45	15				30,39

04/2024

ACCIAIO AL CARBONIO - profilo V

CARBON STEEL - V profile

C-STAHl V-Profil





Manicotto di riduzione MF

Reducer with plain end

Reduktion

Codice	d - d1	L	H	€ price per MOQ			
				20	50	100	200
C12KHVI-LBP	76,1-42	152	120	49,82	45,97	43,99	42,12
C12KJVI-LBP	76,1-54	144	107	50,13	46,28	44,41	42,43
C12LJVI-LBP	88,9-54	161	124	55,43	51,17	49,09	46,90
C12MJVI-LBP	108-54	222	185	72,07	66,56	63,75	61,05



Tee ridotto M - V

T-piece reduced M-V profile

T-Stück M-Profil, Abgang V-Profil

Codice	d - d1 - d	L	L1	Z	Z1	I	€ price per MOQ			
							20	50	100	200
C41GK VM-LBP	76.1-35-76.1	232	76	61	49	116	78,62	72,59	69,58	66,56
C41HKVM-LBP	76.1-42-76.1	232	85	61	53	116	79,87	73,74	70,62	67,50
C41JKVM-LBP	76.1-54-76.1	232	88	61	51	116	80,81	74,57	71,45	68,33
C41GLVM-LBP	88.9-35-88.9	262	84	68	57	131	112,94	104,31	99,94	95,58
C41HLVM-LBP	88.9-42-88.9	262	93	68	61	131	114,82	105,98	101,61	97,14
C41JLVM-LBP	88.9-54-88.9	262	96	68	59	131	116,38	107,43	102,96	98,49
C41GMVM-LBP	108-35-108	312	93	79	66	156	136,97	126,46	121,16	115,96
C41HMVM-LBP	108-42-108	312	102	79	70	156	138,22	127,61	122,20	116,90
C41JMVM-LBP	108-54-108	312	105	79	68	156	140,61	129,79	124,38	118,98