

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

SANIT MineralgussReiniger

UFI: R08V-0YN2-UG0P-H8E2

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Washing and cleaning products (including solvent based products)

1.3. Details of the supplier of the safety data sheet

Company name: SANIT-Chemie
Reinigungsmittel und -geräte GmbH

Street: Dieselstr. 38

Place: D-74211 Leingarten

Telephone: +49 7131 902100 Telefax: +49 7131 404360

E-mail: info@sanit-chemie.de

Contact person: Produktmanagement Telephone: 07131 90210-20

Internet: www.sanit-chemie.de

1.4. Emergency telephone number: National Poisons Information Service (NPIS) – TOXBASE +44 344 892 0111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin Irrit. 2; H315

Eye Dam. 1; H318

Full text of hazard statements: see SECTION 16.

2.2. Label elements

Regulation (EC) No 1272/2008

Hazard components for labelling

Fatty alcohol ethoxilate

Sulfonic acids, C13-17-sec-alkane, sodium salts

Signal word: Danger

Pictograms:



Hazard statements

H315 Causes skin irritation.

H318 Causes serious eye damage.

Precautionary statements

P264 Wash Hände thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 2 of 13

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, Annex XIII.
Endocrine-disrupting potential: not listed.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification (Regulation (EC) No 1272/2008)			
5329-14-6	Sulphamic acid, sulphamidic acid			5 - < 10 %
	226-218-8	016-026-00-0	01-2119488633-28	
	Skin Irrit. 2, Eye Irrit. 2, Aquatic Chronic 3; H315 H319 H412			
64-17-5	ethanol; ethyl alcohol			5 - < 10 %
	200-578-6	603-002-00-5	01-2119457610-43	
	Flam. Liq. 2, Eye Irrit. 2; H225 H319			
	Fatty alcohol ethoxilate			1 - < 5 %
			02-2119552461-55	
	Acute Tox. 4, Eye Dam. 1; H302 H318			
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts			1 - < 5 %
	307-055-2		01-2119489924-20	
	Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Aquatic Chronic 3; H302 H315 H318 H412			

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
		Specific Conc. Limits, M-factors and ATE	
5329-14-6	226-218-8	Sulphamic acid, sulphamidic acid	5 - < 10 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = 2140 mg/kg	
64-17-5	200-578-6	ethanol; ethyl alcohol	5 - < 10 %
		inhalation: LC50 = 95,6 mg/l (vapours); oral: LD50 = 6200 mg/kg Eye Irrit. 2; H319: >= 50 - 100	
		Fatty alcohol ethoxilate	1 - < 5 %
		oral: LD50 = 500 - 2000 mg/kg	
97489-15-1	307-055-2	Sulfonic acids, C13-17-sec-alkane, sodium salts	1 - < 5 %
		dermal: LD50 = >2000 mg/kg; oral: LD50 = >500 mg/kg Eye Dam. 1; H318: >= 15 - 100 Eye Irrit. 2; H319: >= 10 - < 15	

Labelling for contents according to Regulation (EC) No 648/2004

< 5 % non-ionic surfactants, < 5 % anionic surfactants, perfumes (Citronellol).

SECTION 4: First aid measures

4.1. Description of first aid measures

After inhalation

Provide fresh air.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention.

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 3 of 13

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink 1 glass of water.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Co-ordinate fire-fighting measures to the fire surroundings. Water. Foam. Carbon dioxide (CO₂).

5.2. Special hazards arising from the substance or mixture

Non-flammable.

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow to enter into surface water or drains.

6.3. Methods and material for containment and cleaning up

For cleaning up

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal. Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray. Keep away from food, drink and animal feedingstuffs. Keep container tightly closed in a

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 4 of 13

cool, well-ventilated place.

Advice on protection against fire and explosion

No special fire protection measures are necessary.

Advice on general occupational hygiene

Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff. Remove contaminated, saturated clothing immediately. Draw up and observe skin protection programme. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep container tightly closed.

Hints on joint storage

No special measures are necessary.

Further information on storage conditions

Minimum storage temperature: 5°C

7.3. Specific end use(s)

Washing and cleaning products (including solvent based products)

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 5 of 13

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
5329-14-6	Sulphamic acid, sulphamidic acid			
Worker DNEL, long-term		inhalation	systemic	70,5 mg/m³
Worker DNEL, long-term		dermal	systemic	10 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	17,4 mg/m³
Consumer DNEL, long-term		dermal	systemic	5 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	5 mg/kg bw/day
64-17-5	ethanol; ethyl alcohol			
Worker DNEL, long-term		inhalation	systemic	950 mg/m³
Worker DNEL, long-term		inhalation	local	1900 mg/m³
Worker DNEL, long-term		dermal	systemic	343 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	114 mg/m³
Consumer DNEL, long-term		inhalation	local	950 mg/m³
Consumer DNEL, long-term		dermal	systemic	206 mg/kg bw/day
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts			
Worker DNEL, acute		dermal	local	2,8 mg/cm²
Worker DNEL, long-term		dermal	systemic	5 mg/kg bw/day
Worker DNEL, long-term		inhalation	systemic	35 mg/m³
Worker DNEL, long-term		dermal	local	2,8 mg/cm²
Consumer DNEL, acute		dermal	local	2,8 mg/cm²
Consumer DNEL, long-term		dermal	systemic	3,57 mg/kg bw/day
Consumer DNEL, long-term		inhalation	systemic	12,4 mg/m³
Consumer DNEL, long-term		oral	systemic	7,1 mg/kg bw/day
Consumer DNEL, long-term		dermal	local	2,8 mg/cm²

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 6 of 13

PNEC values

CAS No	Substance	
Environmental compartment		Value
5329-14-6	Sulphamic acid, sulphamidic acid	
Freshwater		1,8 mg/l
Marine water		0,18 mg/l
Freshwater sediment		8,36 mg/l
Marine sediment		0,84 mg/kg
Soil		5 mg/kg
64-17-5	ethanol; ethyl alcohol	
Freshwater		0,96 mg/l
Freshwater (intermittent releases)		2,75 mg/l
Marine water		0,79 mg/l
Freshwater sediment		3,6 mg/kg
Marine sediment		2,9 mg/kg
Soil		0,63 mg/kg
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts	
Freshwater		0,04 mg/l
Freshwater (intermittent releases)		0,06 mg/l
Marine water		0,004 mg/l
Freshwater sediment		9,4 mg/kg
Marine sediment		0,94 mg/kg
Microorganisms in sewage treatment plants (STP)		600 mg/l
Soil		9,4 mg/kg

8.2. Exposure controls



Appropriate engineering controls

If handled uncovered, arrangements with local exhaust ventilation have to be used. Do not breathe gas/fumes/vapour/spray.

Individual protection measures, such as personal protective equipment

Eye/face protection

Suitable eye protection: goggles.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Skin protection

Use of protective clothing.

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 7 of 13

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	flüssig
Colour:	rot
Odour:	parfümiert
Melting point/freezing point:	0 °C
Boiling point or initial boiling point and boiling range:	100 °C
Flammability:	not determined
Lower explosion limits:	not determined
Upper explosion limits:	not determined
Flash point:	not determined
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	0,6
Viscosity / kinematic:	not determined
Water solubility:	completely miscible
Solubility in other solvents	not determined
Partition coefficient n-octanol/water:	not determined
Vapour pressure:	not determined
Density:	1,05 g/cm³
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2. Other information

Information with regard to physical hazard classes

Explosive properties

The product is not: Explosive.

Oxidizing properties

The product is not: oxidising.

Other safety characteristics

Evaporation rate: not determined

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Oxidizing agents, strong.

10.5. Incompatible materials

No information available.

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 8 of 13

10.6. Hazardous decomposition products

No known hazardous decomposition products.

SECTION 11: Toxicological information

11.1. Information on hazard classes

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 5000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

CAS No	Chemical name				
	Exposure route	Dose	Species	Source	Method
5329-14-6	Sulphamic acid, sulphonamide acid				
	oral	LD50 2140 mg/kg	Ratte	ECHA	ähnlich wie OECD 401
	dermal	LD50 >2000 mg/kg	Ratte	ECHA	OECD 402
64-17-5	ethanol; ethyl alcohol				
	oral	LD50 6200 mg/kg	Rat	IUCLID	
	inhalation (4 h) vapour	LC50 95,6 mg/l	Rat	RTECS	
	Fatty alcohol ethoxilate				
	oral	LD50 500 - 2000 mg/kg	Rat		
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts				
	oral	LD50 >500 mg/kg	Rat	ECHA	OECD 401
	dermal	LD50 >2000 mg/kg	Maus	ECHA	

Irritation and corrosivity

Skin corrosion/irritation: Causes skin irritation.

Serious eye damage/eye irritation: Causes serious eye damage.

Irritating to respiratory system.

Sensitising effects

Based on available data, the classification criteria are not met.

no danger of sensitization.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 9 of 13

Additional information on tests

Die Einstufung wurde nach dem Berechnungsverfahren der Zubereitungsrichtlinie (1999/45/EG) vorgenommen.

11.2. Information on other hazards

Endocrine disrupting properties

Based on available data, the classification criteria are not met.

information on endocrine-disrupting properties on human health is not available.

Other information

The mixture is classified as hazardous according to regulation (EC) No 1272/2008 [CLP]. Has degreasing effect on the skin.

SECTION 12: Ecological information

12.1. Toxicity

Based on available data, the classification criteria are not met.

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
5329-14-6	Sulphamic acid, sulphamidic acid					
	Acute fish toxicity	LC50 70,3 mg/l	96 h	Pimephales promelas	ECHA	OECD 203
	Acute algae toxicity	ErC50 48 mg/l	72 h	Alge	ECHA	OECD 201
	Acute crustacea toxicity	EC50 71,6 mg/l	48 h	Daphnia magna	ECHA	OECD 202
	Fish toxicity	NOEC >60 mg/l	20 d	Danio Rerio	ECHA	OECD 210
	Crustacea toxicity	NOEC 19 mg/l	21 d	Daphnia Magna	ECHA	OECD 211
64-17-5	ethanol; ethyl alcohol					
	Acute fish toxicity	LC50 14200 mg/l	96 h	Pimephales promelas (fathead minnow)	ECHA	US EPA method E03-05
	Acute crustacea toxicity	EC50 9268 - 14221 mg/l	48 h	Daphnia magna	IUCLID	
	Fatty alcohol ethoxilate					
	Acute fish toxicity	LC50 1-10 mg/l	96 h	Leuciscus idus (golden orfe)		
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts					
	Acute fish toxicity	LC50 >1 mg/l	96 h	Danio rerio		OECD 203
	Acute algae toxicity	ErC50 >61 mg/l	72 h	Desmodesmus subspicatus (Grünalge)		OECD 201
	Acute crustacea toxicity	EC50 9,81 mg/l	48 h	Daphnia magna		OECD 202
	Fish toxicity	NOEC 0,85 mg/l	28 d	Oncorhynchus mykiss (Regenbogenforelle)		OECD 204
	Crustacea toxicity	NOEC 0,36 mg/l	22 d	Daphnia magna (Großer Wasserfloh)		OECD 202 - semistatischer Test
	Acute bacteria toxicity	EC50 95,5 mg/l ()				

12.2. Persistence and degradability

Biologically degradable according to the Washing- and Cleaning Agents Act (WRMG German Law).

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 10 of 13

CAS No	Chemical name			
	Method	Value	d	Source
	Evaluation			
64-17-5	ethanol; ethyl alcohol			
	guideline: BOD	>96%	20	ECHA
	leicht abbaubar / readily biodegradable			
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts			
	OECD-Prüfrichtlinie 301E	89%	28	
	leicht abbaubar			
	OECD-Prüfrichtlinie 301 B	78%	28	
	leicht abbaubar			
	OECD 303A	96,2%	34	
	leicht abbaubar			

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
64-17-5	ethanol; ethyl alcohol	-0,31
97489-15-1	Sulfonic acids, C13-17-sec-alkane, sodium salts	0,2

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Based on available data, the classification criteria are not met.

The components in this formulation do not meet the criteria for classification as PBT or vPvB.

12.6. Endocrine disrupting properties

Based on available data, the classification criteria are not met.

12.7. Other adverse effects

No information available.

Further information

Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Dispose of waste according to applicable legislation.

Contaminated packaging

Wash with plenty of water. Completely emptied packages can be recycled.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number or ID number:

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS:

No

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 11 of 13

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 40, Entry 75

Directive 2010/75/EU on industrial emissions: 5 % (52,5 g/l)

Directive 2004/42/EC on VOC in paints and varnishes: 5 % (52,5 g/l)

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Additional information

Regulation (EC) No. 648/2004 [Detergents regulation].

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,15.

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 12 of 13

Abbreviations and acronyms

Flam. Liq. 2: Flammable liquids, hazard category 2
 Acute Tox. 4: Acute toxicity, hazard category 4
 Skin Irrit. 2: Skin irritation, hazard category 2
 Eye Dam. 1: Serious eye damage, hazard category 1
 Eye Irrit. 2: Eye irritation, hazard category 2
 Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard category: Chronic 3
 CLP: Classification, labelling and Packaging
 REACH: Registration, Evaluation and Authorization of Chemicals
 GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals
 UN: United Nations
 CAS: Chemical Abstracts Service
 DNEL: Derived No Effect Level
 DMEL: Derived Minimal Effect Level
 PNEC: Predicted No Effect Concentration
 ATE: Acute toxicity estimate
 LC50: Lethal concentration, 50%
 LD50: Lethal dose, 50%
 LL50: Lethal loading, 50%
 EL50: Effect loading, 50%
 EC50: Effective Concentration 50%
 ErC50: Effective Concentration 50%, growth rate
 NOEC: No Observed Effect Concentration
 BCF: Bio-concentration factor
 PBT: persistent, bioaccumulative, toxic
 vPvB: very persistent, very bioaccumulative
 ADR: Accord européen sur le transport des marchandises dangereuses par Route
 (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 RID: Regulations concerning the international carriage of dangerous goods by rail
 MARPOL: International Convention for the Prevention of Marine Pollution from Ships
 IBC: Intermediate Bulk Container
 SVHC: Substance of Very High Concern
 For abbreviations and acronyms, see table at <http://abbrev.esdscom.eu>
 EC/EEC: European Community/European Economic Community
 EU: European Union
 M-factor: Multiplying factor
 VOC: volatile organic compound
 For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations).

Classification for mixtures and used evaluation method

Classification	Classification procedure
Skin Irrit. 2; H315	Calculation method
Eye Dam. 1; H318	Calculation method

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

SANIT MineralgussReiniger

Revision: 08.09.2025

Product code: 3096

Page 13 of 13

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)