

Printing date 17.03.2025 Version: 8.00 (replaces version 7.01) Revision: 08.01.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name:

**Article number:** 02305000, 02307050, 02309050, 02306000-540, 02309050-050, 02309090 **1.2** Relevant identified uses of the substance or mixture and uses advised against

Application of the substance / the mixture

Car care product Detergents

Consumer uses: Private households / general public / consumers

Professional uses

Uses advised against There is currently no information available on this.

# 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

SONAX GmbH Münchener Straße 75 D-86633 Neuburg (Donau) Tel.: ++49 (0)8431/53-0

# Further information obtainable from:

Product safety

E-mail: erp@sonax.de

Phone: + +49 (0) 8431 53 217

United Kingdom:

Anglo American Oil Company Ltd

58 Holton Road, Holton Heath Trading Park, Poole, Dorset, BH16 6LT

Telephone: (+44) 01929 551557

Email: info@aaoil.co.uk Produktsicherheit E-Mail: erp@sonax.de Tel.Nr.: ++49(0) 8431 53217

Schweiz:

ESA Maritzstr.47

CH-3401 Burgdorf E-Mail: info@esa.ch Tel. 03 44 29 00 21 Fax. 03 44 29 02 97

1.4 Emergency telephone number:

European Union: +49 (0) 89 19240 (Poison Centre Munich)

United Kingdom: 0344 892 0111 (UK NPIS)

Members of Public in England, Scotland and Wales can contact NHS 111/NHS 24 by dialling 111

In Northern Ireland, contact your local GP

**DE (Deutschland):** +49 (0) 30 30 68 67 00 (Giftnotruf Berlin)

AT (Österreich): +43 (0) 1 406 43 43 (Vergiftungsinformationszentrale [VIZ]) Schweiz: 145 (aus dem Ausland: +41 44 251 51 51) (Tox Info Suisse)

BE (Belgien): +32 (0)70 245 245 (Antigiftzentrum)

Luxemburg: +352 8002-5500 (Antigiftzentrum Belgien)

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

The product is not classified, according to the GB CLP regulation.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 Void

Hazard pictograms Void

Signal word Void

Hazard statements Void

Additional information:

EUH208 Contains Sodium mercaptoacetate. May produce an allergic reaction.

(Contd. on page 2)



Printing date 17.03.2025 Version: 8.00 (replaces version 7.01) Revision: 08.01.2025

(Contd. of page 1)

## 2.3 Other hazards

#### Results of PBT and vPvB assessment

PBT:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as PBT

vPvB:

According to information provided in the supply chain, the mix contains less than 0.1% of any substances classified as vPvB.

### Determination of endocrine-disrupting properties

The substance/mixture does not contain components considered to have endocrine disrupting properties according to UK REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

# SECTION 3: Composition/information on ingredients

#### 3.2 Mixtures

Description: aqueous tenside solution with additives

Dangerous components:		
CAS: 367-51-1 EINECS: 206-696-4 Reg.nr.: 01-2119968564-24-xxxx	sodium mercaptoacetate solution (46%)  Output  Description (46%)  Output  D	5-<10%
Reg.nr.: 01-2119489410-39-xxxx	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts Alternative CAS number: 61789-40-0  Eye Dam. 1, H318; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: C ≥ 10 % Eye Irrit. 2; H319: 4 % ≤ C < 10 %	1-<4%

Regulation (EC) No 648/2004 on detergents / Labelling for contents			
amphoteric surfactants, phosphonates	<5%		
perfumes (LINALOOL, LINALYL ACETATE)			

Additional information: For the wording of the listed hazard phrases refer to section 16.

# SECTION 4: First aid measures

## 4.1 Description of first aid measures

General information: Remove soiled clothing

After inhalation: Supply fresh air.

After skin contact: Wash the areas of skin affected with water and a mild detergent.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Induce vomiting only, if affected person is fully conscious.

Call a doctor immediately.

4.2 Most important symptoms and effects, both acute and delayed Allergic reactions

### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment in accordance with the doctor's assessment of the patient's condition. Symptomatic treatment.

# SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

**5.2 Special hazards arising from the substance or mixture** No further relevant information available.

5.3 Advice for firefighters

# Protective equipment:

The normal measures for firefighting are to be taken.

Do not enter the hazardous area without a self-contained breathing apparatus.

See Section 8 for information on personal protection equipment.

(Contd. on page 3)



Printing date 17.03.2025 Version: 8.00 (replaces version 7.01) Revision: 08.01.2025

(Contd. of page 2)

#### Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

## SECTION 6: Accidental release measures

# 6.1 Personal precautions, protective equipment and emergency procedures Ensure adequate ventilation For non-emergency personnel

The usual precautionary measures are to be adhered to when handling chemicals.

For emergency responders Wear protective equipment. Keep unprotected persons away.

#### 6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow to enter sewers/ surface or ground water.

### 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

#### 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## SECTION 7: Handling and storage

7.1 Precautions for safe handling Use only in well ventilated areas.

# Information about fire - and explosion protection:

No special measures required.

Use fire extinguishing methods suitable to surrounding conditions.

# 7.2 Conditions for safe storage, including any incompatibilities

#### Storage:

Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from foodstuffs.

Observe local/state/federal regulations.

#### Further information about storage conditions:

Protect from frost.

Recommended storage temperature: 20 °C.

PNEC | 0.038 mg/l (freshwater (Süßwasser))

7.3 Specific end use(s) No further relevant information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

# Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

<b>DNELs</b>		
CAS: 367-	51-1 s	odium mercaptoacetate solution (46%)
Dermal	DNEL	2.06 mg/kg (worker long-term systemic effects)
Inhalative	DNEL	1.41 mg/kg (worker long-term systemic effects)
CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts		
Oral	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)
Dermal	DNEL	7.5 mg/kg (consumer) (longterm systematic effects)
		12.5 mg/kg (worker) (longterm systematic effects)
Inhalative	DNEL	44 mg/m³ (worker) (longterm systematic effects)
PNECs		
CAS: 367-	51-1 s	odium mercaptoacetate solution (46%)

(Contd. on page 4)



Printing date 17.03.2025 Version: 8.00 (replaces version 7.01) Revision: 08.01.2025

(Contd. of page 3)

0.0038 mg/l (water (sea water))

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

PNEC 3,000 mg/l (STP)

0.0135 mg/l (water (fresh water)) 0.00135 mg/l (water (sea water))

PNEC 1 mg/kg (sediment (fresh water))

0.1 mg/kg (sediment (sea water))

0.8 mg/kg (soil)

Additional information: The lists valid during the making were used as basis.

#### 8.2 Exposure controls

#### Suitable technical control devices

Ensure good ventilation. This can be achieved by localised extraction or general ventilation. If this is not sufficient to keep the concentration below the occupational exposure limit, suitable breathing protection is to

Fluid

Fruit-like

Undetermined.

# Individual protection measures, such as personal protective equipment

#### General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

#### Respiratory protection:

Not required in normal cases

Ensure good ventilation/exhaustion at the workplace.

Hand protection Not required in normal cases.

Eye/face protection

Goggles recommended during refilling

**IEN 1661** 

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

General Information

Physical state

Colour: colourless - light red

Odour:

Melting point/freezing point:

Boiling point or initial boiling point and boiling

100 °C (CAS: 7732-18-5 water) range Not applicable. **Flammability** 

Lower and upper explosion limit

Not determined. Lower:

Upper: Not determined. Flash point: Not applicable. Auto-ignition temperature: Not determined.

Decomposition temperature: Not determined. 5-5.5

pH at 20 °C Viscosity:

Kinematic viscosity at 40 °C <20.5 mm<sup>2</sup>/s Dynamic: Not determined.

Solubility Fully miscible. water: Partition coefficient n-octanol/water (log value) Not determined.

Vapour pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water)

Density and/or relative density

Density at 20 °C: 1.04-1.05 a/cm3 Vapour density Not determined.

(Contd. on page 5)



Printing date 17.03.2025 Version: 8.00 (replaces version 7.01) Revision: 08.01.2025

(Contd. of page 4)

9.2 Other information

Appearance:

Form: Fluid

Important information on protection of health and

environment, and on safety.

**Ignition temperature:** Product is not selfigniting.

Explosive properties: Product does not present an explosion hazard.

Change in condition
Evaporation rate

Not determined.

Information with regard to physical hazard classes

Void Explosives Flammable gases Void Aerosols Void Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void Self-reactive substances and mixtures Void Pyrophoric liquids Void Pyrophoric solids Void Self-heating substances and mixtures Void Substances and mixtures, which emit flammable gases in contact with water Void Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void Desensitised explosives Void

# SECTION 10: Stability and reactivity

- 10.1 Reactivity No dangerous reactions known.
- 10.2 Chemical stability Stable under normal conditions.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid See Section 7 for information on safe handling.
- 10.5 Incompatible materials: strong oxidizing agents
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

# SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values relevant for classification:		
Oral	ATE	>5,000 mg/kg (Additivity formula)

Dermal ATE >5,000 mg/kg (Additivity formula)

### CAS: 367-51-1 sodium mercaptoacetate solution (46%)

Oral | LD50 | >300 mg/kg (rat) (OECD 423 (Conc. 46%)) Dermal | LD50 | 1,000-2,000 mg/kg (rat) (OECD 402 (Conc. 98%))

CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts

Oral	LD50	>5,000 mg/kg (rat) (OECD 401)
Dermal	LD50	>2.000 mg/kg (rat) (OECD 402)

Skin corrosion/irritation Based on available data, the classification criteria are not met.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

(Contd. on page 6)



Printing date 17.03.2025 Version: 8.00 (replaces version 7.01) Revision: 08.01.2025

(Contd. of page 5)

### Respiratory or skin sensitisation

Result: Causes no sensitization

Species: mouse Method: OECD 429

Contains Sodium mercaptoacetate. May produce an allergic reaction.

Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

### 11.2 Information on other hazards

#### Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with health effects.

# **SECTION 12: Ecological information**

12.1 Toxicity There are no ecotoxicological data available on this mixture.

Aquatic to	Aquatic toxicity:		
CAS: 367-5	1-1 sodium mercaptoacetate solution (46%)		
LC50 / 96h	>100 mg/l (Oncorhynchus mykiss) (OECD 203 (Subs. thioglycolic acid))		
LC50 / 48h	880 mg/l (Leuciscus idus) (DIN 38412 / 15 (Subs. thioglycolic acid))		
EC50 / 48h	38 mg/l (Daphnia magna) (84/449/EWG (Subs. thioglycolic acid))		
EC50 / 72h	EC50 / 72h   13 mg/l (Pseudokirchneriella subcapitata) (OECD 201 (Subs. thioglycolic acid))		
CAS: 1471	CAS: 147170-44-3 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-(C8-18(even numbered, C18 unsaturated)) acyl derivs., hydroxides, inner salts		
LC 50	>1-10 mg/l (Pimephales promelas) (OECD 203)		
EC0	>100 mg/l (Pseudomonas putida) (OECD 209)		
EC50	>1-10 mg/l (Daphnia magna) (OECD 202)		
	>1-10 mg/l (Desmodesmus subspicatus) (OECD 201)		
NOEC	≤1 mg/l (Oncorhynchus mykiss) (OECD210)		
	≤1 mg/l (Daphnia magna) (OECD 211)		

### 12.2 Persistence and degradability

The surface-active substances contained in the product meet the requirement of the EU Detregent Regulation (EC/648/2004) for ultimate biodegradability for surfactants in detergents.

CAS: 367-51-1 sodium mercaptoacetate solution (46%)	
Biodegradation 67 % (28d OECD 301d (thioglycolic acid))	

## 12.3 Bioaccumulative potential

#### CAS: 367-51-1 sodium mercaptoacetate solution (46%)

log POW >2.99 (20°C OECD 107 (thioglycolic acid))

12.4 Mobility in soil No further relevant information available.

#### 12.5 Results of PBT and vPvB assessment

#### PBT:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as PBT

#### vPvB:

According to information provided in the supply chain, the mix conatins less than 0.1% of any substances classified as vPvB

## 12.6 Endocrine disrupting properties

According to the current state of scientific knowledge, there is no data for the product regarding endocrine disrupting properties with effects on the environment.

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)



Printing date 17.03.2025 Version: 8.00 (replaces version 7.01) Revision: 08.01.2025

(Contd. of page 6)

12.7 Other adverse effects

Additional ecological information:

General notes:

The product does not contain organic complexing agents.

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

The product does not contain organically bounded halogens (AOX-free).

Danger to drinking water if even extremely small quantities leak into the ground.

## SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Not classified as hazardous waste according to Annex III to Directive 2008/98/EC.

Recommendation Waste must be disposed of while observing the local, official regulations.

#### European waste catalogue

- 1) Disposal / product
- 2) Disposal / contaminated packaging

20 01 30 detergents other than those mentioned in 20 01 29

15 01 02 plastic packaging

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

Void

SECTION 14: Transport information		
14.1 UN number or ID number ADR/RID/ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR/RID/ADN	Void	
IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR/RID/ADN, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR/RID/ADN, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	

## SECTION 15: Regulatory information

14.6 Special precautions for user Not applicable.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture European Directives:

Directive 2010/75/EU (VOC) not subject to

Catégorie SEVESO (DIRECTIVE 2012/18/EU) not subject to

REGULATION (EU) 2019/1148

UN "Model Regulation":

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

#### Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

# National regulations:

### Information about limitation of use:

Employment restrictions concerning juveniles must be observed.

(Contd. on page 8)



Printing date 17.03.2025 Version: 8.00 (replaces version 7.01) Revision: 08.01.2025

(Contd. of page 7)

Employment restrictions concerning pregnant and lactating women must be observed.

Waterhazard class: Water hazard class 3 (Self-assessment): extremely hazardous for water. 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This Safety Data Sheets is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

#### Relevant phrases

H302 Harmful if swallowed.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H412 Harmful to aquatic life with long lasting effects.

Date of previous version: 15.07.2024 Version number of previous version: 7.01

#### Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the

International Transport of Dangerous Goods by Rail)

NOEL = No Observed Effect Level

NOEC = No Observed Effect Concentration

LC = letal Concentration

EC50 = half maximal effective concentration

log POW = Octanol / water partition coefficient GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ATE: acute toxicity estimate

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International

Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent IOELV = indicative occupational exposure limit values

Acute Tox. 4: Acute toxicity – Category 4

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1B: Skin sensitisation – Category 1B Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* Data compared to the previous version altered.